


## Status Displays

As you have no doubt already noticed, the Sound Shop screen display includes the display of some important numbers concerning your recorded sound. These are as follows:

**Memory Status:** This indicates the total amount of system memory available for the recording of a sound. In the example screen, a total of 1297664 bytes. At a given record rate, this corresponds to a specific amount of recording time (124 seconds in this example). Changing the slider bar in the Record Rate control will change the maximum record time displayed for the current amount of available memory.



This box also displays the amount of memory currently used by the clipboard when a sound file is in memory. Remember that your sound sample and the clipboard share a common amount of available memory, and that increasing the size of one decreases the amount of available memory for the other.

**Buffer Status:** At startup, this indicates the amount of memory available for loading a file, or recording a sound. It also translates this into a length in seconds for a recording or loaded sound file. If you have already loaded a file, or made a recording, this will show the amount of memory used for that sample. The Record time, in that case will still indicate the maximum time available, but the Play time value will show you the actual time represented by your recording.

The Play time shown also depends on the playback rate specified. The playback rate is controlled by the Playback Rate slider control below the Buffer Status window.

If you have anything on the clipboard, the play time of the clipboard data is also indicated in this box.

**Editor Status:** This window indicates the magnitude of the sound wave at the point currently selected. This is useful for cutting, copying and pasting sound segments from one point in the file to another. Try the select process now by positioning the mouse in the sound wave display window. Now hold down the mouse button while you drag the mouse to one side or the other. Note that the area selected is highlighted, and that the Editor Status box shows the magnitude of the sound wave at the current selection point.

**Record Threshold:** When you start the recording process, you may want the system to wait until there is an actual sound to start recording. Since there is always some degree of background noise in the system, the threshold setting allows you to specify what initial value of an incoming sound should trigger the start of the recording process. When a non-zero Threshold value is used, the screen border will turn green while Sound Shop waits for a sufficiently loud sound to start recording. When the recording process starts, the screen border will turn red.

**Play Volume:** This lets you set the playback volume of a sound sample. Values that are too large may "overdrive" your speaker system, so try to use a value that gives the best sound. The exact value may depend on the speaker and/or amplifier system you are using.

**Echo Delay:** This control is used for creating special "echo" effects with your sound sample. See the description earlier for details.

**Repeat Count:** This value determines how many repeated plays of the selected sound sample will be played. You can use the repeat count to create an apparently longer sound effect, without using the large amount of memory that would otherwise be required.

## Sight 'n Sound

Sight 'n Sound is a fun utility provided so that you can change the startup process of your Apple IIGS to put a picture on the screen while the computer is starting up, and/or have a sound you have recorded play as well.

In addition, for those programs that use the standard Apple "beep", such as an Applesoft BASIC program, or others, you can replace the "beep" sound with your own sound, such as "oops!", the sound of breaking glass, a pleasant "try again", or whatever you like.

Sight 'n Sound is easy to use. Just click on the Sight 'n Sound icon in the HyperStudio Home Card, or launch it from the Finder, ProSel, the DeskTop, or any other program launcher.

When you use Sight 'n Sound, the title screen will appear. Let's take a look at each of the options:

**Startup picture:** When you click on this, you will be presented with the standard file selection interface. Use the disk and open buttons as necessary to find the picture you want to use as a startup picture. To try it now, you can use any of the graphics on the HyperStudio.Art disk.

Once you have selected your picture, another dialog box will appear with a miniature image of the picture, and ask you if this is really the picture you want to use. If it's not, clicking on "No, pick another" will take you back to the file selection interface. Assuming you've found the picture you want, clicking on "Yes, install" takes you to the next step.

Now all you need to do is to tell Sight 'n Sound on which disk you want put the picture. You can use your HyperStudio disk (a backup copy of the disk, that is), as a test disk if you wish. Ordinarily, you'll want to insert a normal GS/OS disk in the drive. You can use Next Device to bring up the name of each disk drive you have connected, or the Re-Check Device to re-examine a disk drive after you've put in a new disk.

When the name of the desired target disk is shown on the screen, click on the Install button to complete the installation. If a startup picture already exists on that disk, you'll have the opportunity to cancel the operation, or continue anyway.

**Note:** There are actually two Sight 'n Sound programs on the HS.Sounds disk. SNS.320 adds 320-mode Super Hi-Res graphics to a disk; SNS.640 does the same for 640 mode graphics. The graphics from the HS.Art disk are all 640 mode graphics. Screens from PaintWorks Plus are 320 mode.

**Startup Sound:** This is similar to the startup picture function, except that it will put a Sound Shop-recorded sound on your disk that will be played when the computer starts up.

Selecting a sound is done just like any other file, except that after you have selected it, you'll have the opportunity to play it to make sure you've got the sound you want. If it is, clicking on "Yes, install" takes you to the same disk selection dialog box that was used when installing a startup picture.

**Note:** If your sound sample takes longer to play than the time it takes your disk to start up, the end of the sample will be stopped prematurely as your actual startup application is loaded. The time available for a startup sound varies according to the type of disk drive you have, and what software is on your disk, so some customizing of the startup sound may be desired for the best effect.

**System Beep:** This is for replacing the usual "beep" in Applesoft BASIC and other programs with a recorded sound of your choice. The process is identical to adding a Startup Sound, but your custom sound will only be heard when the Apple IIGS system beep is used.

**Removing Startup Files:** Any or all of the files just added can be removed by simply using the Remove buttons on the right of the Sight 'n Sound function box. In each case, all that is displayed is a dialog box for selecting a disk. For each device, Sight 'n Sound will tell you whether there is currently a startup file on that disk or not.

**File Usage:** Sight 'n Sound adds the following files in the System Setup folder of the target disk. The System.Setup folder is located in the System folder present on any GSOS startup disk.

For a Startup picture:

SNS.SP	This is the program that actually loads the startup picture.
SNS.SP.PIC	The picture to be loaded.

For a Startup sound:

SNS.SS	This is the program that actually loads the startup sound.
SNS.SP.SND	The sound to be loaded.

For a system beep:

SNS.SB	This is the program that actually loads the system beep.
SNS.SB.SND	The sound to be loaded.

The files SNS.SP, SNS.SS, and SND.SB must be on the disk in the same directory as the Sight 'n Sound utility for an installation to work properly. If the files are not found, then a message will be displayed when the installation is attempted. The Sight 'n Sound utility *does not* have to be on your own disk for the startup functions to work.

If you have a program that lets you change the order of files in a directory, such as Merlin 16+, or ProSel, you can also get a longer display time of the picture, and a longer play time by the sound, if you move the files SNS.SP and SNS.SS to the top of the System.Setup folder. SNS.SP cannot be moved to a position before CDEV.Init in the System.Setup folder.

## Sound Browser

The Sound Browser is a utility for quickly looking (listening?) through a number of sound files on a disk. It is very simple to use, and just presents the usual file selection interface to choose the files you're interested in. Only Sound Shop-compatible files are displayed. After a sound is loaded, it is immediately played. After playing, you can then choose another sound to listen to.

Since some sound samples can be rather long, there is also a slider control that lets you adjust the amount of each sound file to be read in and played. This makes it easier to "browse" through a large number of samples when you're looking for something in particular.

When you're done browsing, just click on Cancel to return to the HyperStudio Home Card, Finder, or any other program selector.

## Appendix A: Stack Ideas

One of the traps in looking at example stacks done with HyperStudio is the temptation to immediately classify, and thereby limit, your impression of possible applications in terms of what you have already seen. HyperStudio can be used to create a fantastically wide variety of software. Here are just a few more ideas on possible stacks that anyone could create:

- **Child's ABC Book.** Imagine a stack created of screens with the letters of the alphabet, and objects like an Apple, Bear, Clown, etc. When the child clicks on a screen image, they hear the phrase "A is for Apple", etc. A variation is to have the stack immediately play a phrase, and then have the child click on the image needed to match the verbal prompt. The stack would then respond with a happy face, or try again voice before going on to the next card.
- **Interactive Adventure Story.** In this setup, a card could have, for example, a castle with two doors. Depending on which door (invisible button) the user clicks on, the story would branch to alternative story plots. You could create a wide variety of plot variations within a "story-stack".
- **Repair Guide.** This stack starts with an picture of a camera, bicycle, copier, faucet, motorcycle, carburetor, or anything else that you have ever seen a repair guide on. From there, clicking on different parts of the picture leads you through disassembling, repairing, and re-assembling the device.
- **Office Building/Personnel Guide.** This stack would offer a directory to different offices and personnel in a business. Click on different departments to get a map of how to get to a given office. See an organizational chart of personnel. By clicking on a position in the chart, you get a picture of the person, an introduction in their own voice, information on their duties, services provided, etc.
- **Interactive Tests.** For school or business, you can use HyperStudio's ability to use its buttons as "answers" in a test to create interactive quizzes, tests, etc. When a testing stack is completed, HyperStudio writes a text file out to disk that has a list of the "answers" (buttons) chosen on each card, the stack name, student name and date. Other programs can then access this information as needed.
- **Introduction to Classical Music.** This stack plays passages of classical music, and asks the user to identify the composer and/or name.
- **Family Tree.** Geneology is an area that is very difficult to implement on a classic-style database. By contrast, HyperStudio lets you create a card for each family member, putting a picture of the person, details of their life, even a voice sample, on each card. The cards are then linked according to relationships as needed. Cards can also branch to general information

such as the origin of the family name, information on the country of origin, interesting stories or incidents, etc.

- **United States or World Database:** Information on all 50 US States or World. Additional Quiz format that has you identify a state by clicking on the correct spot on a map in response to questions, facts & trivia.
- **Animals of Africa:** Learn about the wildlife of Africa. Click on a country in a map of the continent, and then go on a safari, exploring the animal life of the region. Hear lions roar, the rumble of a thunderstorm on the savannah, even the rushing waters of Victoria Falls!
- **Knowing the Masters - Art:** Learn to identify classical works of art by matching a picture with the title of the work and the artist.
- **Dynamic Flow Chart Demo:** Here's a novel idea: Make each card in a stack a step in a classic program flowchart. As the user clicks on Yes/No choices, they move through the "program" (the stack).

These are just a few of the possible applications of HyperStudio. There are many, many more. In fact, a good source of ideas is to just walk into any bookstore, and look at the variety of subjects and presentations on the shelves. A large number of the things you currently see in printed form can be done in hypermedia in a totally new and refreshing way.

## HyperStudio Catalog

Roger Wagner Publishing, Inc. is putting together a catalog of public domain and commercially sold HyperStudio stacks. We also hope to include other items that would be of use to HyperStudio owners, such as video digitizers, scanners, sound effects tapes, records, CDs, software utilities, and other products. This catalog will be sent free to all registered HyperStudio owners.

Mailing in your registration card is the only way we have of knowing you are a HyperStudio user to send you the catalog, and notices of future updates and improvements to the software. If you haven't already done so, *please* mail the registration card today.

If you have created stacks that you think would be of interest to others, we would also like to hear from you. Write or call Roger Wagner Publishing, Inc. at the address and phone number listed at the front of this manual.

## Appendix B: More On Animation

The description in the manual of how animation works is accurate, but it's easy to overlook how simple it is to create an effective animation in a stack you are creating. The following mini-tutorial is provided to help you experiment with creating animations in your own stacks.

### Blinking Objects (Names, arrows, etc.):

The first example will be of how to create a blinking item on the screen when a button is pressed. This could be a name, an arrow pointing to a location, or any other alternating graphic.

To try this out, choose New Stack from the File menu, and then use the Add Clip-art function (also in the File menu) to bring up the file Output, located on the HS.Art disk. In the upper-left corner of the screen for the Output file is a picture of a printer. Use the square selector tool to draw a rectangle around the printer image, and click on "Ok" at the top of the screen. The image of the printer will appear on the screen. Use the mouse to position the image in the upper-left part of the screen, and click outside the image to drop it in place.

We'll suppose that this is the first card of a stack about computer terms. Suppose you wanted the user to click on the printer, and then hear the spoken word "printer", and also see the word flash momentarily on the screen.

To do this, we'll attach a sound and an animation to an invisible button over the printer image. The animation will consist of two frames, one each with and without the word "printer". We'll then repeat this animation sequence three times.

Before the animation can be connected to a button, however, the sequence must first be created. An animation sequence consists of a series of graphics screens, with some difference between each successive frame. Viewing the frames rapidly creates the animation effect. For a blinking object, the sequence is very simple: One frame with the object, a second frame without.

To create the first frame, select the "T" icon in the Tools menu (the paint text tool). Click the mouse on the screen somewhat below the printer image, and type the word "Printer". This will be our first frame of the animation. Go to the File menu, choose Save Screen, and save the screen under the name Printer.1.

Now, use the eraser tool to erase the word "Printer". The screen with the word gone will be the second frame of our animation. Go back to the File menu, choose Save Screen, and save the screen under the name Printer.2. Now it's time to create the button that will trigger the animation.

Go to the Objects menu, and choose Add a Button. Choose the invisible button style, and click "Ok". It is not necessary to enter a name for an invisible button. After an optional instructional dialog box appears (if this is the first button you've added after starting up HyperStudio), the rectangle for an invisible button will appear on the screen. Use the mouse to drag the rectangle over the image of the printer, and to resize it to something that completely covers the printer. It is all right if the rectangle is larger than the printer image.

When the invisible button rectangle is positioned, click outside the rectangle to drop it in position. Now click on Play a Sound, and choose Record Now. When the tape recorder appears, click on the Record button, and say "This is a printer", then press a key to stop the recording. Click on the Play button to verify you've got a good recording. You can also adjust the volume here to a comfortable level. When the sound is set up correctly, click on "Done".

Note: If you hit a key to stop the recording, and do it loudly, the "click" of the keyboard will be included at the end of your recording. If you hear a click at the end of a recorded sound, try recording again, and *press* a key to stop the recording.

When the Button Actions menu reappears, click on Activate Animation. When the list of files appears, choose Printer.1 to specify this animation sequence. A window will appear, probably with the image of the printer in it. Use the mouse to drag the hand cursor to move the printer image, and bring the word "Printer" into view. Move the word "Printer" into the upper-left corner of the animation rectangle. Now resize the rectangle to a smaller size, to neatly frame the word "Printer", but try not to make the rectangle too small. You just want to create an image you can work with.

Now use the mouse to drag the frame of the animation rectangle, and place it under the image of the printer. Click outside the animation rectangle to drop it in position. A message will appear telling you HyperStudio is generating the animation, and then the Button Actions dialog will appear again. Set a Rate of 45, and a Repeat Count of 3, then click on Done.

Now let's try it out! Click on the image of the printer. You should hear the phrase "This is a printer", and see the word "Printer" blink three times.

It's that easy! Blinking objects are the easiest to create, because you only need two frames. If you want the object to be left on the screen when the animation is done, make sure the last frame of your animation has the object visible. In that case, you would make the first frame the "empty" picture (no word "Printer"), and the second frame would have the word visible. Then, when you create the animation, click on Printer.2. This will bring up the second frame in the animation window, so you can still place the word "Printer". However, this time, the word "Printer" will be visible when the animation ends, and thus left on the screen for the user.

This technique could be used for a blinking arrow, or warning-light effect.

### Important Points:

- 1) Whatever filename you click on when selecting an animation is the one that will be loaded. Don't click on a frame where the object is not visible, because you won't be able to place it where you want it (since it won't be there!).
- 2) HyperStudio always uses the entire available sequence from Filename.1 to Filename.999, regardless of which file you click on.
- 3) The last frame of an animation is always left on the screen. If you want the object to stay on the screen, make sure it's visible in the last frame. If you want the object to disappear, make sure it's erased from your last frame.
- 4) Animation files do not have to be continuously numbered, or even begin with any particular number. You could have the files Printer.20, Printer.25, and Printer.99, for example.

### Moving Objects:

In this next example, let's create a simple sequence of a plane flying across the screen, and introduce the idea of a stack-based "work file" for an animation.

Choose New Stack from the File menu. Go to the File menu again, and choose Add Clip-Art. From the HS.Art disk, open the file Output. Near the right edge of the screen, you'll see an image of a jet airplane. Move the slider bar at the bottom of the window until the airplane is totally visible, and then use the mouse to draw a rectangle around the airplane. Click on Ok when you've selected the correct area. Now position the airplane at the left side of the screen, and click outside to drop it. If you've accidentally got any extra graphic bits on the screen, you can use the eraser tool to erase them.

The idea in creating this animation will be to create a series of cards in a stack that has the airplane moving to the left a certain amount in each successive card. This stack will only be used to create and edit the animation, and not for any other purpose. As such, it becomes an animation "work file".

Go to the Apple menu, select Preferences, and make sure that Erase background on new card is *not* checked, and that Show card number in menu bar is checked. We will let HyperStudio automatically duplicate the background for each new card in the animation. Click on OK in the Preferences dialog box.

Pull down the Tools menu, and choose the selector tool (the square dotted line icon). This is in preparation for selecting graphics in a moment. Press Apple-N (for New Card). The number at the top of the screen will change to "2". You are now on the second card in this stack. Use the mouse to draw a rectangle around the airplane, and drag the image about 1" to the left. Press

Apple-N again to create the third card. Again, select the airplane image, and drag another 1" to the left. Repeat this process two more times until you have six cards, each with the airplane in a different position.

You now have a stack of six cards with the frames for an animation. You can hold down the Apple-> key to move through the cards in the stack and get an idea of how your animation will look. Now, let's save the frames as graphic screens for use by HyperStudio's animation feature.

Go to the Move menu, and select First Card. Now go to the File menu, and choose Save Screen. Make sure you have a disk with at least 80K free on it. The default name in the Save Screen dialog box should be New.Pic.01. Normally, you would replace this with a name of your own, but for the moment, this will work perfectly for saving a series of numbered graphic screens. Press Return to accept this file name. When the save is complete and the screen returns to card #1, press Apple-> (Next Card), and then choose Save Screen again. This time, the default name will be New.Pic.02. Press Return to accept. Again, go to the next card and save that screen, and repeat until all six cards have been saved to disk. (If the Save Screen doesn't begin with New.Pic.01, because you've already saved a screen earlier, don't worry. You just want to save a numbered series of screens - the actual starting number doesn't matter.)

Now is a good time to save the stack itself. Choose Save Stack from the File menu, and save the stack under the name Plane.Work. By keeping the file, you can go back later and make changes to the animation sequence, without having to recreate the graphics.

Now, let's try out the animation. Choose New Stack from the File menu. Then, choose Add a Button from the Objects menu, create a visible button called Test, and position it near the bottom of the screen. Check "Activate animation...", and when the file selection dialog appears, select New.Pic.01. A white rectangle will appear in the middle of the screen. Use the mouse to drag the rectangle to the left side of the screen, then grab the handle on the left edge of the rectangle, and resize the rectangle to be as roughly as wide as the screen. You probably can't see the airplane, because it is out of view in the window. Move the mouse to inside the rectangle, hold down the mouse button, and drag the mouse up until the plane is in view. The size of the rectangle represents the animation area, and needs to have the full left-to-right area available for the complete motion of the plane. Click outside the rectangle, and a dialog box will appear telling you HyperStudio is creating the animation.

When the button Actions dialog box reappears, enter a Rate of 10, and a Repeat count of 2, then click on Done. Now, test the animation by clicking on the Test button. The plane should fly two times from right to left across the screen. If you didn't want the plane image to be left on the screen at the end of the animation, you would leave a blank frame at the end of the animation sequence, as card #7 in the Plane.Work file, and saved as New.Pic.07 on disk. Remember, it is not necessary that the picture files you save begin with "1", or that they be continuously numbered. You can always use any name you wish for the animation files, as long as they end in some number, and all share the same name as the beginning of the file-name.

## Appendix C: Improving Sound Quality

The following information is provided to help you get the best results possible when recording and playing back sounds using the Sound Shop and HyperStudio software.

All of the sounds you hear on the HS.Demo and HS.Sounds disks were recorded using the HyperStudio digitizer. The voice in Saturday and Spanish were recorded with the HyperStudio microphone. All others were recorded from cassettes, using an inexpensive walkman-style cassette player.

You should be aware that there is some variation in individual Apple IIGS computers, so your computer may be slightly quieter or noisier when recording sounds than others. However, with a little understanding of the things that effect the overall quality of a recorded sound, you should be able to get the best possible performance from your machine.

### Avoiding Electrical Interference

The biggest source of problems in recording sounds is the electrical "noise" that is inherent in the computer. This is not noise that you can normally hear, but when the digitizer records a sound by converting it into electrical signals, the electrical activity in the computer and the surrounding environment can be picked up, and mixed into what you are trying to record.

The HyperStudio digitizer minimizes this problem by *not* plugging into one of the slots in the computer. Being physically connected to a slot is the surest way to transmit the electrical noise from the computer into a digitizing card.

If you are having problems with excessive noise in your recordings, consider each of the following, and see if any of these apply to your situation.

**Note:** "Excessive noise" can be detected by doing a "smothered mike" test. This consists of holding your hand over the microphone, while you record about 5 seconds of silence in Sound Shop. When the sound wave is drawn, examine the display. If the "bumps" in the display are more than +/- 3 units in value (click on a given point and look at the Level value in the right-hand window), or they appear in large quantity at a regular frequency, then you may have noise in the system that can be eliminated. If you are concerned about excessive noise in your system, and are writing us about the problem, sending a disk with sample recordings will help us a great deal. Record one sample with the smothered mike test, and one sample of your voice.

Do keep in mind that even at best, there will always be a small amount of background noise in the quiet passages of a recording. This is normal for the system. Even a tape player, when the volume is turned up, has a background hiss.

**Monitor** - The Apple IIGS monitor is a strong source of electrical noise. If the microphone is closer than about 12" while recording, you will get interference from the monitor. Avoid this by just being careful not to lean in towards the monitor while recording, or draping the microphone wire over the top of your monitor.

**Fluorescent Desk Lamps** - Fluorescent desk lamps are also a strong source. Don't record with the microphone or its cable directly beneath (closer than 12") a desk lamp.

**Other Sound Cards** - The HyperStudio digitizer is quieter than most because it doesn't plug into the internal slots in the computer. However, if you are using the "piggy-back" option to connect another sound card to the HyperStudio digitizer, you probably will get more noise than if no card was connected. This is because the electrical noise can now flow from the slot connector, into the other card, and then into the HyperStudio digitizer. Unfortunately, there isn't any way around this problem other than not connecting the offending sound card to the HyperStudio digitizer.

The other alternative is that, if you do have another sound card, you probably can use it to record sounds in both Sound Shop and HyperStudio, without requiring the HyperStudio digitizer to be present at all. Obviously, the sound input quality will then be limited by the quality of your own digitizer card.

**Fans** - The Apple IIGS internal fan from Apple Computer should not cause a problem when attached to the HyperStudio digitizer. However, there are some inexpensive third-party models that can cause problems. External fan units, such as the Kensington System Saver GS, or the MDIdeas/Applied Engineering Conserver should not cause any problems, since their fan power supply is separate from the fan power line inside the Apple IIGS.

If you do have a problem with a third-party internal fan, there is no easy solution, other than to replace the fan with another unit. However, if you are feeling a little adventurous, or want an absolutely perfect power source for the HyperStudio digitizer card, you can buy a 9-volt battery clip from Radio Shack, or any other electronics parts supply house, and use a 9 volt battery to power the digitizer card. You can literally push the wires from the battery clip into the 2-wire plug on the digitizer card that would otherwise plug into the fan plug inside the computer. Be sure, however, that you get the polarity right. The red (positive) wire from the battery clip should match the red wire in the digitizer card plug.

**Placement of the Ribbon Cable** - Although usually a minor factor, you can try running the ribbon cable from the HyperStudio digitizer *over* the top of any peripheral cards in the computer, rather than under them. This will keep the ribbon cable away from the motherboard itself, which is a potential source of electrical noise. However, be aware that it is possible that some particular card will have a component mounted near the top of the card that will be a stronger source of interference than the computer itself. Placement of the ribbon cable is simply one more option for you to experiment with.

**Other cables** - In general, you should try to keep the microphone from being entangled in other cables at the back of your computer, such as disk drive cables, printer cables, etc. Try to keep the microphone cable running in a relatively direct path from the back of the computer to your work area.

**Power Supply** - Although rare, the internal power supply can also be a source of some noise. After you've tried the other options, you can try moving the digitizer card away from the power supply, into one of the other cutouts, if you don't have too many other cards in other slots.

### Improving the Input Quality

To get the best sound possible in HyperStudio, you can also take certain steps to improve the overall quality of the sound input to the HyperStudio digitizer card.

**Microphone Technique** - When speaking into the microphone, be sure to hold the microphone right up to your mouth, and speak clearly and firmly. It is not at all necessary to shout, but you shouldn't be timid, either. Sound Shop is the best place to practice with recording sounds, since you can see an actual display of the sounds you are recording. You want the waveform displayed in Sound Shop to approach the top and bottom of the window in places, without actually going out of range. A recording that does not produce a good waveform will sound noisier than one done with sufficient volume. Also, remember that if the microphone is 12" away from you when you speak, this will be too far for HyperStudio or Sound Shop to pick up any kind of a strong sound input at all.

**Other Microphones** - Although the microphone in the HyperStudio package is quite sufficient for casual use, other microphones may give better results. The simplest improvement is to use a *condenser* microphone. These cost approximately \$15 from places like Radio Shack. However, you should also realize the improvement is unlikely to be overwhelming. In very unscientific terms, we rate better microphones as giving about a 10-20% improvement in the overall quality of recordings.

**Signal-to-Noise Ratio** - This is a term that refers to how strong your recorded sound is compared to the always-present electrical noise in any recording system. If you are recording with a quiet voice or input source and/or playing back at a large (12-15) playback volume level, then background noise will be most noticeable, and very difficult to eliminate. If you can get a good strong waveform in Sound Shop when you record (90% deflection in the window at the high spots), then your input will overshadow any background noise. In addition, if you can use an external speaker with a volume control that will let you play back sounds with a playback volume of 6-8, then the background noise will be minimal compared to your recording. Remember, almost every recording will have quiet gaps between words, musical passages, or other sounds in the recording, and it is in these spots that the background noise will be most noticeable. If the playback volume is at the high end (12-15), then this background noise is

amplified as well. Again, try to make strong recordings, and ideally, use a medium playback volume level.

**Tape Player vs. Microphone** - You may get better results for some recordings by recording first into a standard tape player, and then recording in Sound Shop from the tape player. This is because you can control the volume in the output from the tape player, and the recording situation is a "closed system", i.e., no outside noise.

It is certainly true that for digitizing sound effects, music, etc., you should definitely record direct from the tape player, and not try to hold the microphone next to a speaker while the tape plays.

**Battery Tape Players** - Although you might think an expensive tape deck would be the best source when recording music, sound effects, etc., we recommend you use a battery-powered tape player. 110v units often transmit electrical noise to the digitizer card. A battery-powered unit is more likely to give you a good clean input sound.

### Improving the Output Quality

The sound output quality of the Apple IIGS is almost entirely a function of how good the speaker attached to it is. You should, of course, avoid entangling the cable going to the optional HyperStudio speaker with disk drive cables, or other wires that are a source of interference.

The HyperStudio speaker will give a substantial improvement over the GS built-in speaker. Powered speakers, such as the Yamaha DM-01 model (our favorite), will give the best performance. You *cannot* hook up standard stereo speakers to the computer, since an amplifier of some sort is required. You may also wish to look into other suppliers of amplified speakers, such as Radio Shack.

Sound Shop and HyperStudio do not currently support stereo sound in either recording or playback, although this may change in future versions of the software. However, you can use stereo output cards as the sound output channel in HyperStudio without any particular steps being necessary.

### What about other sound file formats?

When the HyperStudio project was started, we looked around for a standard sound file format that would accommodate all the requirements for HyperStudio. The primary requirement was that the user be able to load a sound file stored on disk, and play it immediately without resetting any parameters. This requires that values for volume, playback rate, echo delay, repeat count, etc. all be stored in the sound file on disk.

Unfortunately, no file standard currently exists (other than the HyperStudio/Sound Shop file format) that accommodates all these requirements, and also provides for compressed sound files.

For that reason, Sound Shop and HyperStudio use a specific type of sound file, registered as an official file type with Apple Computer, that contains all the necessary information. HyperStudio can only directly import this type of sound file. If you have sound files from other sources, you can use these sounds by first loading them into Sound Shop, and then resaving them in the HyperStudio/Sound Shop file type.

In Sound Shop, you should be able to load sound files recorded with MDIdeas, FutureSound, Sonic Blaster, Sound Studio and other programs. Sound Shop does not currently load compressed sound files, although this is also expected to be handled in a future version.

If you have access to a modem service such as GENIE, CompuServe, or America Online, you can also download digitized sounds for use in Sound Shop. Macintosh sound files will also work in most cases when loaded into Sound Shop. If you have a Macintosh computer, and the utility AFE (Apple File Exchange), uncompressed 8-bit sounds recorded in MacRecorder, or other digitizers, can also be converted to a ProDOS disk with the AFE utility, and then loaded into Sound Shop.

Once loaded, you may have to set the volume, playback rate, etc. to get the sound just the way you want it. When saved and reloaded into Sound Shop or HyperStudio, the sound will then play perfectly every time.

Sound Shop and HyperStudio do not currently support MIDI music files, or other synthesized note sequences, such as those produced by Music Studio, Music Construction Set, Diversi-Tune, or other programs that do not use digitized sounds. This may also be addressed to some degree in future versions of HyperStudio.



## Appendix D: Hard Disk Installation

Installing HyperStudio on a hard disk is very easy. The most direct way is to create a folder on your hard disk named HyperStudio, and copy all the files from the disks HS.Demo, HS.Sounds, and HS.Art to the folder. From the HyperStudio disk, copy only the files HyperStudio, HS.TD, and Home.Stack.

Your hard disk must be set up to use GSOS 5.0.2 or later. If you'll be using the Video Overlay Card, you should also have installed Tool033 (Tools folder) and Apple IIVOC.Init (System.Setup folder).

Once in the HyperStudio folder, HyperStudio can be launched by double-clicking on either HyperStudio (from the Finder). Sound Shop can be launched by double-clicking on the Sound Shop icon. If you have an Icon Editor, you can change the application pathname for the stack, sound file, and other icons so that you can also launch HyperStudio or Sound shop by double-clicking on the stack or sound file icons.

When HyperStudio brings up the Home Card, clicking on any of the icons should run all of the demonstration stacks normally. Adding clip-art and sound files should also immediately display the appropriate files as copied from the HS.Art and HS.Sounds disks.

**Using Subdirectories:** When using HyperStudio on a hard disk, you may want to organize the files into subdirectories, such as creating the folders HS.Art, HS.Sounds, and perhaps even individual folders for groups of stacks. This is fine, but you should realize the basic operating "rules" with multiple directories.

**Last-used directories:** When adding clip-art, sound files, loading stacks, etc. HyperStudio remembers the last-used directory for various kinds of data. This makes it easy to go back to the last directory you loaded something from. However, you should also remember that if you put artwork, sounds, etc. in other directories, the first time you go to add clip-art, you will have to use the Standard File interface to open the necessary folder. If you have a large number of HyperStudio-related files, you may find that organizing subdirectories is both useful and necessary.

# Manual Addendum & Index

The following pages contain information about features added to HyperStudio after the manual was printed, additional tips on using the software, and an index for the HyperStudio manual.

## Hard Disk Installation

The Home Stack now includes an icon (via the Applications button) called HyperStudio Installer. This utility will automatically move all the appropriate files from the HyperStudio disks to your hard disk. Within the HyperStudio folder, it will also create the folders HS.Art and HS.Sounds.

When installing HyperStudio on a hard disk, a few changes will have to be made to the Home.Stack for a few of the stack icons to work without prompting for the 3.5" disks. The modification is required for those stacks located in subdirectories.

The stacks Jukebox, Art Library, Xcmd Info, Find Demo, and Video Overlay will be located in the subdirectories Hs.Sounds, HS.Art, Xcmds, Xcmds/Find, and Xcmds/Video, respectively.

When you click on the icons for these stacks, HyperStudio will try to locate these stacks on the original 3.5" disks. If you don't want to have to put the required disk in your drive when trying these demos, delete the invisible buttons in the Home.Stack, and create new buttons that connect to the corresponding stacks in their new location on your hard disk.

There is also a connection to another stack in the Art.Library stack. This invisible button is over the lamp on the second card, and normally connects to the stack Test.320.Stack in the Test.320 folder on the HS.Art disk. Delete the invisible button over the lamp, and create a new one that connects to the Test.320.Stack in its location on your hard disk, which should be a folder named Test.320 in the HS.Art folder.

Here's a list of the stacks in the Home Card that you'll have to create new buttons for:

Stack	New Location
Art Library	HyperStudio/HS.Art/Art.Library
Jukebox	HyperStudio/HS.Sounds/Jukebox
Find Demo	HyperStudio/Xcmds/Find/Find.Demo
Xcmd Demo	HyperStudio/Xcmds/Exerciser/Xcmd.Demo.Stack
Video Overlay	HyperStudio/Xcmds/Video/VOC.Demo

Remember, to delete an existing button, just choose the button tool (the "B" in an oval) from the Tools menu, click on the button to be deleted, and then choose Clear Button from the Edit menu (or just press the Delete key).

**Tip:** Whenever you get a dialog box asking to locate a particular file for a button you have clicked on, remember to look at the top of the dialog box to see just what file HyperStudio was looking for. This will help you create new buttons to go to the desired file.

**Unidisk Drives (White):** Important: the following information applies only to the older Unidisk drives, which are white in color. There is no problem with the newer Apple 3.5 drives, which are platinum (grey).

The Unidisk drives have a problem in that they don't "know" when a disk has been removed. This leads to the following problem in HyperStudio, or any other desktop style program on the Apple IIGS:

You are working in HyperStudio, and for some reason, it prompts you to insert a needed 3.5" disk. You already have another disk in the drive, so you remove it, insert the correct disk, and press Return. HyperStudio appears to not recognize the new disk, and asks you to insert it again.

The problem is that, combined with the caching feature of GSOS, the computer still thinks the original disk is in the 3.5" drive. The only solution here is to remove the original disk when prompted, and *then press Return before inserting the new disk*. This forces GSOS to see that the drive is now empty. Then insert the correct disk, and press Return again when it asks you a second time for the needed disk.

A variation on this problem is when adding clip-art, loading or saving stacks, or any other function that uses the Standard File Interface dialog box that is used in HyperStudio to select a file. If the disk you want to access is not in the drive when the dialog box comes up, replacing the disk with the correct one and choosing the "Disk" button in the dialog box (or pressing the TAB key) will not show the contents of the new disk. This is caused by the same problem: GSOS doesn't know a new disk is in the drive. The only solution is to remove the first disk, click on the "Disk" button so GSOS sees the disk is gone, then insert the new disk, and click on "Disk" again so it recognizes the new disk. If you have other disk volumes online, such as a hard disk, you may have to page through them each time to get back to your 3.5" drive.

## New Feature Summary for HyperStudio 2.1

This new version of HyperStudio has a number of improvements to the software to make it an even more powerful tool for you, while still keeping the software as easy to use as possible. The following pages describe the specific changes to the software.

### New Paint Tools:

- **Stretch/shrink selected graphic areas** (lasso & square selections). After selecting a graphic item with the lasso or square selector tool (the dotted square in the Tools menu), place the tip of the arrow cursor on the lower-right corner of the square (or an approximation of this position if you're using the lasso). If you then hold down the Apple key while you drag the mouse either up and to the left, or down and to the right, you'll see the graphic area re-sized as you move the mouse. Because the original graphic is made up of individual points (pixels), the resized graphic may show some distortion, but you should still find this a useful function.

- **Easy straight lines** ("constrained motion"). If you hold down the shift key before moving the cursor, you'll notice that many paint tools (paint brush, eraser, pencil, line tool, etc.) will automatically draw a perfectly horizontal or vertical line once the mouse starts moving. This can be helpful when trying to erase a straight edge, as well. If you hold down the shift key while using the rectangle or oval tool, you'll get a perfect square or circle.

- **Flip horizontal/vertical** (Edit menu). When a graphic area is selected with the rectangle or lasso, the functions "Flip horizontal" and "Flip vertical" in the Edit menu will be available. These are useful when creating symmetric corners of your screen. For example, on the HS.Art disk is a file named "Dingbats" that includes some graphic elements that correspond to a corner of a screen. To the right of the graphic of the moon is an ornamental corner that corresponds to the upper-right corner of the screen. Use the mouse to draw a rectangle around this graphic, and click on "OK". Drag the graphic to the upper-right corner of the screen and click outside the graphic to drop it in place.

Now, you want to make a copy of the graphic to place in another corner. You could use copy & paste, but an easy way to do this is to use the Option key as you start to drag the graphic to make a copy. Reselect the graphic by dragging a rectangle around the graphic, then hold down the Option key as you drag the rectangle to the lower-right corner. Once you start dragging the graphic, you can release the Option key. Holding down the Option key as you start a drag makes a copy of the selected region.

When the graphic is positioned in the lower-right corner, go to the Edit menu, and choose Flip Vertical. Use the mouse to reposition the graphic to the exact place you want it (if it needs

adjustment). This time, don't click outside the graphic, but rather, hold down the Option key as you drag the graphic to the lower-left corner. Holding down the Option key will automatically paste the graphic in its current position before making the copy. When you've moved the graphic to the lower-left corner, go to the Edit menu and choose Flip Horizontal. If the graphic is where you want it, hold down the Option key again as you start to drag the copy to the upper-left corner. In the upper-left corner, choose Flip Vertical once more from the Edit menu, make sure the graphic is placed where you want it, and click outside the rectangle to drop it in place.

In general, the Flip commands just reverse the image of whatever area is selected. This function can also be used to reverse the direction of arrows, direction of cars, airplanes, etc. Note: fringe graphic bits, when horizontally flipped, may expand slightly giving fuzzy edges in some cases. This effect happens when a graphic has an edge of a different color, for example, grey pixels on the edge of a different color image. Removing edge colors will make graphics easier to flip, but we should mention that there's no reason to arbitrarily remove edge colors from all your graphics. In normal use, edge colors give a better overall appearance to an image.

- **Draw Multiple** (Options menu). Check this item in the Options menu to create interesting patterns. When this option is checked, rectangles, ovals and the line tool will leave a repeating pattern as the mouse is moved.

- **Draw Centered** (Options menu). Check this item to draw a circle or square centered around a specific point. If you combine Multiple and Centered, you can get very interesting geometric patterns.

- **Color Replace** (Options menu). This is a very useful new addition to the HyperStudio paint tools. It is used to change every pixel in a given selected area from one color to another. If no area has been selected, the entire screen will be processed. In the Replace dialog box, you can also choose "Exchange". This will swap the two colors in the selected area. This can be used to create an "inverted" image, and may also be of use when importing graphics from other paint programs with the proper colors in the palette, but in a different order than the usual HyperStudio palette.

- **320 Mode Alert Box**. To help determine when a 320-mode graphic is being imported, HyperStudio examines every graphic file before loading it; if it appears to be a 320-mode graphic, a dialog box now appears, telling you that the graphic may change colors when loaded. Note: Some 640 graphics, when saved in certain paint programs, do not include palette information, and as such will display the 320-mode alert message even though they will be imported with normal colors. The alert message only tells you the graphic *may* be a 320 mode graphic. Some graphic files from the original 1.0 and 1.2 versions of HyperStudio may trigger this alert window. To "fix" them, simply load a graphic as a Background on a blank card, and then immediately re-save the screen back with the Save Screen option in the HyperStudio File menu (use the same name to save with).

- **Colors menu**. The Colors menu can now be used to set the color of text, in not only the paint text tool, but in text items and button labels as well. Simply choosing a color from the Colors menu is now equivalent to using Set Text Color (in the Options menu). The Colors menu can also be used to set the Background color. Simply hold down the Option key while choosing a color, and this will set the current Background color. If a button has been selected with the button tool, then holding down the Option key will change the button color. If a text item has been selected, then the Option key will set the entire Background color for the text item. While entering text in a text item, you can use the Colors menu to set the current text or Background color as you go. Choosing a color while the eraser tool is active sets the Background color without having to hold down the Option key.

- **"Dropping" Invisible buttons, Animation and "Add a Graphic Item" rectangles**. When placing an invisible button, full-screen animation window, or a graphic item, you can press Return instead of clicking outside the rectangle to drop the item. This is provided for those situations where the rectangle takes up the entire screen, and there is no "outside the rectangle" to click in!

## Button and Text Item Colors & Styles

- As mentioned in the discussion of the Colors menu, previously, buttons and text items now use the current text and background color settings. These colors can be changed using either the Colors menu (with or without the Option key) while an item is selected, or by using the Set Text Color... or Background Color... functions in the Options menu. Text items now also support multiple text styles. Buttons are still limited to Shaston 8, although different colored text is supported.

## New Button Actions

- **Next/Previous card are now relative motions**. That is, in HS 2.0, use of Next and Previous established an absolute link to card #n. "Next card" buttons like right-arrows couldn't be copied to other cards (i.e., the copied button would still branch to card #n.). HS 2.1 now uses the action Next and Previous as "current card +/- 1", which means arrow buttons can be copied and pasted as desired with the expected result.

- **Home card action**: This is equivalent to the user pressing Apple-H. The advantage of this is that in earlier versions of HyperStudio, a link to the Home.Stack with the Connect to Another Stack action linked the button with an absolute pathname for the Home.Stack. This limits return to a specific stack with a specific pathname (if another Home.Stack is not available in the same directory as the active stack). HyperStudio now "remembers" the location of the last Home.Stack, no matter what directory it was in. This will be more flexible for hard disk usage, and also allows the concept of multiple Home.Stacks on the same disk, hard disk, or network. For example, you could have three different Home.Stacks, designed for different

kinds of users, that all launched the same application stacks. By using the new Home action (rather than the old absolute link), each stack will automatically return to the Home.Stack that called it.

### Improvements to Editing

- **Paste Card** inserts card after current card (not at end of stack). Note: The "Card #" that is displayed in the menu bar is a *card identifier number*, not a "position indicator". Since the cards are numbered beginning with "1" as you create a stack, this ID number is pretty much the same as the position number. However, as you start to cut and paste cards from different stacks, or within the same stack, you'll find the ID numbers follow the cards. That is, if you cut a card from the end of the stack (say, card #9), and paste it near the front, you may notice that the card #s then count 1,9,2,3, etc. This does not effect the operation of your stack. Cards are not renumbered when cards are cut or pasted, because the button connections are all based on the card ID #.

### Miscellaneous Improvements

- **Move to Card #** (Move menu). Use this to move to any card # in the current stack. Just enter the card ID # (which may be different than its *position* in the stack) in the Move To dialog box.
- **Save screen now saves complete image** (buttons, text items, etc.) depending on setting of "Hide Items" in Options menu.
- **Cosmetic changes to Sound Record/Playback screen.** The "tape recorder" screen now has a numbered scale by the volume slider to make it easy to use consistent volume settings for a group of sounds. (File note: the file HS.TD is now obsolete, and is no longer used by the HyperStudio program.)
- **"Stack Info" shows usable free memory.** The Stack Info dialog box now indicates how much memory is still available to the stack you are building. This number is smaller than the amount of raw free memory in the computer because it is only the largest single block of memory that is useable for a stack. Check this dialog box occasionally as you build your stack to stay aware of how much remaining room for expansion you have.
- **Version compatibility:** All stacks created with previous (versions 1.2 and 2.0) of HyperStudio can be used with 2.1. Depending on the number of buttons and text fields in the stack, however, there may be a delay due to the conversion process. During the conversion, the cursor will change to an alternating "2.0/2.1" marker. Once converted, you can save the stack back to disk, and subsequent loads will be at normal speed since no conversion will be needed. Stacks created or saved from HyperStudio 2.1 are *not* backward-compatible with earlier versions of HyperStudio (however, since the 2.1 update is being sent to all HyperStudio users, this should not be a problem, and there is no reason to maintain earlier-version copies of any of your stacks).

- **Locked stack changes:** When a stack is locked *and* the menu bar is hidden on a card, HyperStudio will ignore the keyboard commands for Move to beginning and end of stack, and next-card, previous-card. This lets you control the user's actions a little better in test stacks, adventure games, etc.

**IMPORTANT:** It is now possible to create a stack which *cannot be unlocked!* If you hide the menu bar on all cards but the last card, and then lock the stack and save it, AND there is no button that specifically moved to that last card, you will not be able to get back to the last card to ever unlock the stack again (or make changes). This is a "feature" for those wanting to create absolutely locked stacks, but you should use this option with care, and always keep another unlocked copy of the stack as a backup.

- **Usage tip:** A stack can be locked *without* using a password. All that is necessary is to check the box "Locked Stack" in the Preferences dialog box. A password need not be entered to lock a stack. This will make it easier for other users of your stacks to unlock them to make changes in those cases where this is not an issue for them. We've seen a number of stacks in the public domain that are locked with a password where there is really no need to use one. You should use password-locked stacks only in those cases where you absolutely do not want any user to alter your stack. This might be the case for test stacks used by students, but we encourage you to use this feature sparingly.

- **Apple-S now is the keyboard equivalent for SAVE.** It used to be for Save As... This will let you save stacks instantly with a single keypress. If the stack is brand new and has not yet been given a name, pressing Apple-S will bring up the Save As dialog so you can name the file.

- **Show Invisible Buttons.** Holding down the Apple- and Option-keys simultaneously will display the invisible buttons on a screen. This is disabled if a stack is locked.

- **"Local" directory application support.** Stacks moved to new directories can launch applications in the same directory with no button editing. HyperStudio 2.0 linked buttons to applications with an absolute pathname, and, for example, moving Sound Shop to a hard disk lost the connection to that program in the Home.Stack. In HyperStudio 2.1, buttons will find applications at both their original location and the local directory, if present.

- **Modified PRODOS file.** This is a special version of PRODOS (on the /HyperStudio disk) that gives a little more usable memory on a ROM 03 Apple IIGS. It has no effect on a ROM 01 machine. Move this file to your startup volume if you aren't using the /HyperStudio disk.

• **CLV (time-based or "Extended Play") laser disc support.** This version of HyperStudio now supports CLV laser discs. Note: The software interface for CLV discs is a little more sensitive than the frame-based drivers, and may require that you use the START button in the remote-control dialog box that comes up when you choose "Add a Video" (Objects menu) or "Play a Video" (button action). The START button only needs to be used when you first insert a new laser disc. The way to tell that everything is properly started and synchronized is to make sure that the little button to the right of the frame # indicator reads "Tm" (for "Time"), rather than "Ch", "Fr", or a blank button.

The number register for CLV disks is in HR-MIN-SEC format. That is, a number value of 02030 would mean 0 hours, 20 minutes, and 30 seconds. Since there can only be one hour of video on a side of a laser disc, the first digit will always be "0". Entering a number like 00090 will show a corrected value of 000130 (that is, 90 seconds is converted to 1 minute, 30 seconds).

## Creating User Disks for Others

Although the HyperStudio program itself cannot be given to others, a way has been provided to create disks with your stacks that are independent of the original HyperStudio program. This is done using an additional file, HS.Sys16, that is located on the HS.Art disk.

HS.Sys16 is a miniature version of HyperStudio that has no editing functions, only the ability to run stacks you've created. Disks for other Apple IIGS users are created by putting this file on a disk, along with your own stacks. The "User Disk" you create this way can either be a startable disk, and thus completely self-contained, or you can create disks with just the HS.Sys16 file and your stacks. In this latter case, the user would have to start up the computer with a System Disk, or other startable disk, and then launch HS.Sys16 from the Finder, or other program launcher.

Remember, since any stack can branch to another stack, even on another diskette, it is not necessary that all the stacks for your project fit on one disk. You could, for example, create a 2-disk set with a startable disk with HS.Sys16 and your Home Stack on the first disk, and then use a button to link to the stacks on the second disk. This is the way the /HyperStudio and /HS.Demo disks are set up in the HyperStudio package.

### File-Copy Instructions

The following instructions are for those familiar with copying files between disks. If you are more comfortable with an automated process, skip ahead to the section titled "Installer Instructions". That section describes a utility that will automatically create User Disks for you.

• **Startable User Disks:** To create a disk with System files that will start up to your own Home Stack, do the following:

1. Create a startable System disk with the file PRODOS and the System folder. You should delete, if necessary, the files START and P8 from the System folder, along with any unnecessary Driver files (System/Drivers). You should also delete BASIC.System and BASIC.Launcher, if necessary, from the main directory.
2. Copy the file HS.Sys16 from the HS.Art disk to your new disk.
3. Copy your own Home.Stack to your new disk.

That's it! This will now give you a self-contained disk, that when started up, will go directly to your own Home.Stack. This disk can be distributed to others in accordance with the HS.Sys16 License Agreement.

• **Non-Startable User Disks:** If you do not require a startable disk, you need put only the file HS.Sys16 on your disk, along with whatever stacks you wish.

**IMPORTANT!! YOU MAY NOT, UNDER ANY CIRCUMSTANCES, DISTRIBUTE COPIES OF THE HYPERSTUDIO FILE. ONLY THE HS.SYS16 FILE MAY BE LEGALLY COPIED UNDER THE PROVISIONS OF THE HS.SYS16 DISTRIBUTION LICENSE.**

In general, if you will be selling the disk with your stacks, this is considered "commercial use" of the HS.Sys16 run-time file, and a modest annual license fee must be paid to Roger Wagner Publishing, Inc. If you are not selling your stacks, then no license fee is required. Non-commercial use would include public domain stacks in user group libraries, stacks shared with friends and family, and stacks created for non-commercial distribution in schools.

### Installer Instructions

This section describes how to use the Installer utility, provided on the /HyperStudio disk. This utility will automatically copy all the necessary files to create a User Disk for your own stacks.

**You will also need the /System.Disk for GSOS version 5.0.2 or later, as supplied with your Apple IIGS computer, and/or by your local dealer.**

1. Start up your computer with the /System.Disk. This will eventually display the Finder.
2. Insert a blank disk. When prompted, format the disk as you would any data disk, and name the disk User.Disk (or any other name you wish).
- 2a. If you have a disk that is already formatted that you are "recycling", choose Erase Disk from the Disk menu of the Finder after selecting the disk to be erased.
3. Insert the /HyperStudio disk, and launch the Installer program.
4. Click on the Disk button until you see your disk (User.Disk or ???) identified at the top of the window on the right of the screen.
5. Scroll down through the list on the left until you see the entry "Latest Sys. Files (No Finder)". Select this by clicking with the mouse on the entry.
6. Click on the Install button at the top-center of the screen. As the installation process proceeds, you will be prompted, if necessary, to insert the appropriate disks.
7. Again, use the Disk button to select your disk (User.Disk), and choose "User's Startable HS Disk" as the Update Selection.

8. Click on the Install button to begin the process. When finished, choose Quit to return to the Finder.

You now have a disk that, when started up, will display a title screen, and go to a "dummy" Home Stack. You may want to keep a backup copy of this disk to use as a starting point for other User Disks in the future.

### Customizing the Disk

• **Home Stack:** The first thing you'll want to do is to replace the Home.Stack on the User.Disk with your own Home.Stack. This can be done by running your own full-version of HyperStudio, loading your Home.Stack, and then saving it to the User Disk. Other stacks may be added as room allows. Depending on how many stacks are in your project, it may be necessary to create a second disk, perhaps called User.Disk2, that contains just the additional stacks that won't fit on the first disk. It is not necessary to put the System files or HS.Sys16 on any other disk other than your first startup disk (User.Disk).

• **Startup Screen:** The HyperStudio disk has a startup screen that is shown every time the disk is started up. You can create the same effect on your own disks by using the Sight 'n Sound utility (there's an icon for this the HyperStudio Home Card under "Applications") to add your own startup picture. On the HS.Art disk is a file named "User.Title.Scm" that you can use as a starting point for your own startup screen, and customize this graphic for your own disk.

You can also add a startup sound to your User.Disk using the Sight 'n Sound utility. Be aware that a startable disk with System files doesn't have a lot of extra space on it, and it may not be possible to fit the System files, a large Home Stack, and a large sound file on the disk. This may take a little experimenting to balance the use of the available space on a given disk to your satisfaction.

## Index

816/Paint™ 20

### A

Actions 41  
Add a Button 17, 39  
Add a Clip Art 20, 23, 28  
Add a Graphic 48  
Add an Object 39, 48  
Add a Sound 41  
Add a Text Item 16, 49, 50  
Add a Video 42, 50  
Advanced User 41, 52  
Alternate Answer 46, 47  
Alternate Home Cards 56  
Animate 45, 77  
Another Card 18  
Apple Menu 52  
AppleWorks 2.1 49  
Art Library 12  
Authoring 13, 14  
Auto-activate buttons 42, 48, 53

### B

Back 32  
Background Info 38  
Backing Up Disks 3  
Baud Rate 42  
Beagle Paint 45  
Begin 42  
Blinking Objects 77  
Bring Forward 39  
Browse (Hand) 33  
Browser 10, 74  
Brush Shape 51  
Buffer Status 70  
Button 33  
Button Actions 39  
Button ID 38  
Button Info 38

### C

Card ID 47  
Card Info 38  
Catalog 76  
Chapter Mode 43  
Choose Printer 29  
Clear 31, 65  
Clear Clipboard 65  
Clipboard 30, 64  
Colors Menu 50  
Connect to:  
    Another stack 22, 40  
    Another card 40  
    An Application 40  
Control Panel 3, 55  
Copy 30, 64  
Copy Card 31  
Correct Answer 46, 47  
Creating Stacks 14, 15  
Current File 69  
Custom Palette 50  
Cut 30, 64  
Cut Card 31

### D

Data Access Method 41, 55  
Delete Card 31  
Demonstration Stacks 12  
Digitized Sound 3  
Digitizing Card 4  
    Other 8, 9  
Directories 56  
Disable/Enable Cautions 69  
Disk based  
    Data 53  
    Extended Objects 34  
    Text 49  
Desktop Publishing 14  
Display 43  
Dithered Colors 50  
Draw Filled 51

### E

Echo Delay 58, 60, 71  
Edit an object 33  
Edit Menu 30, 63  
Editor Status 71  
Edit Tool 30, 33  
Electrical Interference 81  
Embedded Data 52  
End 42  
Entering Text Directly 50  
Erase 65  
Erase Background 31, 54  
Eraser 35  
Extended Commands 12, 45  
Extended Objects 34

### F

Fade Up & Down 66  
Fans 82  
File Menu 26, 62  
File Usage 73  
Fill 36  
Filter 66  
Find 32  
Finder, The 3  
First Card 32  
Frame number 43  
Freehand Shape 36  
Full Screen Video 43

### G

Graphics,  
    640 Mode 28  
    320 Mode 45  
Graphic Info 38

### H

Hard Disk Installation 86  
Hide Items 51  
Hide Menu 51

Home 32  
Home Stack 10, 23  
Home Card 10  
    Adding a stack to 20  
/HS.Art 20  
/HS.Demo 10  
HS.Test.Results 38, 46  
HS.Xcmd 45  
Hypermedia 1  
/HyperStudio disk 10

### I

Installation 4  
    Alternate Technique 7  
Intro Stack 10, 11  
Invisible Button 18, 20  
Item Info 33, 38

### K

Keep button 42  
Key Color 44

### L

Laser Disc Player 41  
Lasso 21, 30, 35  
Layer 66  
Line Size 51  
Line Tool 35  
Live Record 41  
Load Background 16, 27  
Local Data 55  
Lock Stack 53

### M

Magnifying Glass 37  
Maximum Memory 69  
Memory Status 70  
Microphone 8  
Microphone Technique 83  
MIDI music files 85



Modem Port	42	Play Sound	41
Monitor	82	Polygon	37
Move Menu	32	Preferences	41, 48, 52, 55
Moving Objects	79	Previous Card	32, 40
Multiple choice	47	Print	29
<b>N</b>			
New	62	<b>Q</b>	
New Card	31, 54	Quit	63
New Stack	15, 27	Quit HyperStudio	29
Next Card	18, 32, 40	<b>R</b>	
<b>O</b>			
Objects Menu	38	Rate	46
Open	62	Record	57
Open Stack	27	Record Modes	68
Options Menu	51	Record Threshold	58, 61, 71
Other Microphones	83	Rectangle	36
Output Quality	84	Redraw	67
Oval	36	Repeat	46
<b>P</b>			
Page Setup	29	Repeat Count	58, 60, 71
Paintbrush	35	Reposition an object	33
Paint Tools	34	Reverse	67
PaintWorks Gold™	20, 45	Revert	63
Password	52	Rounded Rectangle	36
Paste	30, 64	<b>S</b>	
Pause	42	Save	63
Pencil	35	Save As	63
Picture Tool	34	Saving A Stack	20, 27
Pioneer 2200, 4200, or 8000	41	Save Screen	28
Play	42, 43, 57	Selected Record	69
Playback Rate	59	Selector Tool	30, 34
Playback Speed	43	Send Behind	39
Playback Volume	58, 71	Set Background Color	51
Play Clipboard	65	Set Text Color	21, 51
Play part of sample	59	Settings Menu	69
Play Video	41	Show Card Number	54
Play Volume	58	Sight 'n Sound	10, 72
		Signal to Noise Ratio	83
		Slide Show	12
		SNS.320	72

SNS.640	72	<b>U</b>	
Sound	43, 81	Undo	30, 63
Sound Menu	68	<b>V</b>	
Sounds, other formats	84	Video Overlay Card	41
Sound Sample	59	Video Overlay Demo	12
Sound Shop	10, 41, 57	Volume	55, 60
Sound Tool	34	Volume Control	54
Special Features Note	9	<b>X</b>	
Spraypaint Brush	36	XCMDS	12, 45
Stack Ideas	75		
Stack Info	39		
Stacks	11		
Other sources of	13		
Standard File Interface	26		
Start/Reject	43		
Startup Defaults	69		
Startup Picture	72		
Startup Removal	73		
Startup Sound	72		
Status Displays	70		
Step	42, 43		
Stereo	43		
Stop	57		
Stop And Play	68		
Stutter	67		
System Beep	73		
System Requirements	3		
<b>T</b>			
Technical Support	25		
Text	42, 46		
Text	36		
Text Info	38		
Text Style	51		
Text tool	21, 34		
Timed Test	47		
Tools	65		
Tools Menu	33		
TouchWindow	54		
Transition	18, 40		

